

ONVIF

Local Live & Display	Various Search	Gigabit Ethernet	Alarm Scheduler
Spot	Relay Alarm out	Free DDNS	DHCP Server
VMS	Web Client	Mobile Viewer	Dual Streaming



NT1550 Series Standalone NVR
(Max. 360Mbps Up to 32CH)

Standalone NVR NT1550 Series

High Performance

8/16/32CH Full HD real time

Capacity

Max. 80 / 160 / 320Mbps
Up to 8 / 16 / 32CH

Operating System

Intuitive, Stable and User Friendly

Conventional


Local Live and Playback

SPECIFICATION

MODEL	NT1551	NT1552	NT1553
Operating System	Embedded Linux		
OS Firmware	Linux OS in Flash Memory		
Memory	2GB DDR3 Memory		
Video Input	8	16	32
Video Output	Composite : 1		
VGA	1 Port (Max. 1920 x 1080)		
HDMI	1 Port (Max. 1920 x 1080)		
Spot Out	Composite : 1		
Throughput	80Mbps	160Mbps	320Mbps
Audio Input / Output	3 / 1		
Alarm Input	2		
Alarm Output	1 (Relay)		
USB 2.0	2 x USB (1 x Front Panel, 1 x Rear Panel)		
Ethernet	10 / 100 / 1000 Mbps Ethernet (RJ-45) x 2		
User Interface (GUI / Control Device)	Keypad, Mouse, PTZ Control		
Archive File Format	EXE (Video Clip) / AVI (Video Clip) / JPEG (Still Image)		
NTP Server	Yes		
GMT Time Zone	Yes		
Auto DST	Yes		
Recording Modes	Continuous / Alarm / Emergency		
Pre-Alarm Recording	Up to 10 minutes / User Programmable		
Playback Control	x1, x2, x4, x8, x16, x32, x64		
PTZ Control	RS-485 / 422 Serial Port 1 (Terminal Block)		
Text Insertion (POS)	4		
Multi Language	English / French / Japanese / Korean / Russian / Finnish / Turkish / Dutch / Chinese / Vietnamese / Thai / Spanish / German / Portuguese / Arabic / Italian		
Central Monitoring Station	CMS Pro (Windows) / iCMS (Mac) / Web Client Pro		
Mobile Viewer	iPad / iPhone / Android		
Primary Storage	2 x SATA HDD		
Clip Copy Storage	USB Memory Stick		
Dimension (WxHxD)	290 mm x 65 mm x 274 mm / 11.74 inch x 2.55 inch x 10.78 inch		
Operating Temperature	5°C~40°C / 41°F~104°F		
Operating Humidity	0% ~ 90%		
Power Adapter	12V, 3A (36W)		

* Design and specifications are subject to change without notice.

DIMENSION



SYSTEM INTERCONNECTION

